




All in One Solar Street Light



Details			Picture
Power	Specifications		
50W	Solar panel	Max Power	18V/80W (High-efficiency monocrystalline solar panel)
		Lifespan	25 years
	Battery	Model	Li-battery 12.6V,39AH (Lithium battery)
		Lifespan	5-8 years
	LED Chip	Power	40W (Philips chip ,Aluminum PCB plate)
		Chip brand	Philips SMD3030 144PCS
		Lumen	5000-6000lm
		Lifespan	50000 hours
	Install distance	Install height: : 7-8M Install horizontal spacing :25-30M	
	Install position	Light pole branch diameter: 60-100mm	
	Light body material	Aluminium alloy	
	Charging time	6 hours of effectively sun light	
	Working time	Light 10 to 12 hours every day, sustainable 3-7rainy day	
	Switching mode:	time control + light sensor control+ motion sensor control	
	Certification	CE、 ROHS	
Size	Product size:L1090*W300*H40mm Light Package Size:113*34*11cm 1 PCS /CTN Bracket package size :60*47*16.5cm 10PCS/CTN		
Weight	Net weight:15KG Gross weight:16 KG		





SOLAR PANELS

Highly transparent high-quality tempered glass, a unique process to make the components beautiful and strong anti-snow, easy to install.





SENSORS

Infrared detection controller, the use of infrared detection method to control the load switch.



Sun charging in daytime



When people leave
50% brightness



When people close
100% brightness

PRODUCT PACKAGING



Lighting Package



Lighting Package

APPLICATION PICTURE

