
## SPECIFICATION DETAILS



Details				
Power	Specifications			Picture
100W	Solar panel	Max Power	18V/80W (High-efficiency monocrystalline solar panel)	
		Lifespan	25 years	
	Battery	Model	12.8V,48AH 614.4WH LiFePO4 battery	
		Lifespan	2000 cycles	
	LED Chip	Power	192pcs (Philips chip ,Aluminum PCB plate)	
		Chip brand	Philips SMD3030 CCT:6500K	
		Lumen	7000-9000Im	
		Lifespan	50000 hours	
	Install distance	Install height: :7-10M Install horizontal spacing :25-30M		
	Install position	Light pole branch diameter: 60-100mm		
	Light body material	Aluminium alloy		
	Charging time	6 hours of effectively sun light		
	Working time	Light 10 to 12 hours every day, sustainable 3-7rainy day		
	Switching mode:	Time control + light sensor control+ motion sensor control		
	Certification	CE、ROHS		
	Size	Product size:L1170*W425*H90mm Packing Size:122*47.5*13cm 1 pcs /carton		
	Weight	Net weight:16KGS Gross weight:17KGS		
	Warranty	5 years warranty		








Sun charging in daytime

When people leave 50% brightness

When people close 100% brightness



## PRODUCT PACKAGING









