—— 冷压接线端头及接头专业制造商



乐清凯赛电气有限公司 YUEQING KAISAI ELECTRIC CO., LTD.

CORPORATE CULTURE

企业文化 9

"团结"是一个企业良好发展的基本指导思想,通过沟通、协调、合作、营造公平公正的良好企业环境,形成上下齐心,步调一致的局面。

"仁爱"人有"人性",企业是由人组成的自然也就具备的人的本性。那么企业文化的"本性"是什么哪?其实企业文化的"本性"就是以人为本。但究竟什么是"以人为本""人性化管理",通过完善的关爱体系让员工感受到企业对自己的尊重、帮助和爱护,使员工热爱企业、热爱工作、爱企如家。留住好的员工就是企业最大的财富。

"拼搏"在工作中一定要准确、高效,在完成任务时要有"不到长城非好汉"的豪迈情怀中,要有"不低头,不认输,擦干泪,坚持住"的英雄气概,在制定切合实际的阶段性目标上,鼓励适度超前,反对糜费浮夸。

"开拓创新"是企业发展的灵魂,通过开展广泛的科研活动和员工合理化建议,实现全员创新;通过管理观念和手段的现代化、信息化及规范化,实现技术创新和管理创新;通过对外的广泛交流与合作,实现新技术的合作共赢。

"Unity" is the basic guiding principle of a good development of the enterprise, through the communication, coordination, cooperation, and create a fair and just a good business environment, formed under the concerted, in lockstep with the situation.

"Love" people have "human nature", the enterprise is composed of human nature also has the nature of human. So what is the "nature" of the corporate culture? In fact, the "nature" of the corporate culture is people-oriented. But what is "people-oriented" "humanistic management", through comprehensive care system so that employees feel enterprises for their respect, help and love, so that employees love for business, love of work, love enterprises such as home. Keep good employees is the greatest wealth of enterprises.

"Struggle" in work must be accurate, efficient, in complete the task to "less than non hero of the Great Wall" of the heroic feelings, to "do not bow their heads, do not throw in the towel, wiped away tears. Hold on the heroic, in setting realistic goals and encourage moderate advance, opposes waste exaggerated.

"Innovation" is the soul of enterprise development, through to carry out a wide range of research activities and staff rationalization proposals, all involvement innovation; through the management idea and the means of modernization, in form ationization and standardization, to achieve technology innovation and management innovation; through external exchanges and cooperation to achieve win-win cooperation in the new technology.



≥ 产品概览

PRODUCT OVERVIEW

















































≥ 产品概览

PRODUCT OVERVIEW





































≥ 叉形裸端头(TU型)

NON-INSUL ATED SPADE TERMINALS




型 号 ITEMNO	电线范围 A.G.W	螺栓尺寸 尺 寸DIMENSION							最大
		d2	В	F	L	E	D	d1	电流
SNB 8-4	8AWG 6-10 ²	4.3	8.0	7.2	23.0	8.5	7.2	4.5	62A
SNB 8-5	8AWG 6-10 ²	5.3	10.8	7.2	23.0	8.5	7.2	4.5	62A
SNB 8-6	8AWG 6-10 ²	6.5	10.8	7.2	23.0	8.5	7.2	4.5	62A
SNB 8-8	8AWG 6-10 ²	8.4	14.5	13.0	27.8	8.5	7.2	4.5	62A
SNB 14-5	6AWG 10-16 ²	5.3	12.0	10.7	25.5	10.5	9.0	5.8	88A
SNB 14-6	6AWG 10-16 ²	6.5	12.0	10.7	25.5	10.5	9.0	5.8	88A
SNB 14-8	6AWG 10-16 ²	8.4	13.8	10.7	28.5	10.5	9.0	5.8	88A
SNB 22-6	4AWG 16-25 ²	6.5	14.0	9.0	34.5	12.0	11.5	7.7	115A
SNB 22-8	4AWG 16-25 ²	8.4	14.0	9.0	34.5	12.0	11.5	7.7	115A

预绝缘端头

PRE-INSULATION TERMINALS






导线截面: 6~10mm²(美国线规8) 最大电流・Imax=62A

型 号 ITEMNO	尺 寸DIMENSION							
	螺栓口 直径	В	L	F	Е	Дφ		
	D2 Φ	mm	mm	mm	mm	mm		
SV8-5	5.3	10.8	31	9	16	9.5	红色	
SV8-6	6.5	10.8	31	9				
SV8-8	8.5	14.8	38	13.5				
RV8-4	4.3	8.8	31	9.3				
RV8-5S	5.5	8.8	31	9.3				
RV8-5M	5.5	12.0	32.3	9.3				
RV8-6S	6.5	12.0	32.3	9.3				
RV8-6L	6.5	15.0	38.3	13.8				
RV8-8	8.5	15.0	38.3	13.8				
RV8-10	10.5	15.0	38.3	13.8				
RV8-12	12.5	22.0	48	17.0				

绝缘软套管

TERMINAL INSULATION





型 号 ITEM NO	尺 寸DIMENSION									
	D1	D2	D3	L	F	В	С			
	mm	mm	mm	mm	mm	mm	mm			
V-1.25	2.8	3.3	3.1	13	6	7	0.6			
V-2	3.3	4.5	3.7	14	7	7	0.7			
V-3.5	4.2	5.7	4.1	17	9	8	0.8			
V-5.5	4.8	5.7	5.2	17	9	8	0.8			
V-8	6.2	7.2	6.2	19	10	9	1.0			
V-14	7.5	10	8	25	14	11	11			
V-22	10.5	12	9.5	30	15	15	1.2			
V-38	12.5	14	11.8	34	17.5	16.5	1.5			
V-60	15	16.8	13.5	39	20	19	1.5			
V-70	.16	17.5	14.5	43	22	20	1.5			
V-80	17	19	16	47	25	22	1.6			
V-100	19	22	18	54	30	24	1.7			
V-125	21	24	20	57	32	25	1.8			
V-150	23	24.5	22	65	35	30	2.0			
V-200	27	32	24	65	35	30	2.0			
V-240	29	38	26.5	77	35	39	2.5			
V-325	29	38	29	77	37	40	2.5			
V-400	42	45	36	85	46	41	2.5			
V-500	46	48	40	88	41	42	2.5			
V-630	52	54	44	92	50	47	2.5			